


LIA

A Special Bollard with Unique Reflections




CE UK CA IK08 IP66



Square form factor, distinctive light effects, and a sturdy body make LIA stand out to illuminate pathways, landscaped areas, and other public spaces.

- Equipped with high-efficiency and long-lasting LED light source
- LED lighting solution with traditional appearance
- Optimized symmetrical uniform light distribution with a unique effect
- Minimalistic design to blend in with different types of architecture
- Sophisticated and decorative pattern on 4 sides
- Easy installation and maintenance


Product code	Product name	Light distribution	Delivered lumens flux	Rated input power	Colour temperature	Control	Weight
LB6059.599-EN	LIA	[SYM-4L] 50°,	256 - 582 lm	14 - 29 W	2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80	On/Off	6.84 kg

**[SYM-4L]**

Symmetric,
Special effect: 4
lines

Extras

Consult the factory

**CP**

Custom pattern


Luminaire body options

**DPC**

DPC
Double powder
coating

Accessories (To be ordered separately)

Anchorage




628I003


628I003




[HM1]
Black




[HM2]
Dark grey



[HM3]
Anthracite
grey



[HM4]
Light grey



[HM5]
White



[HM6]
Bronze



[CC]
Custom
colour
(Please
specify RAL
code)