

TRIAN

Contemporary and Scalable Bollard Family




Eye-catching design and unique optics with a light touch make TRIAN stand out to illuminate pathways, landscaped areas, and other public spaces.



- Equipped with HEPER's Dyno (DYN) or AreaFlex (AFX) module
- Minimized glare with hidden light source
- Flexible optics give the ability to provide various light distributions in different output levels (AFX)
- Optimized linear forward light distribution option with full cut-off and minimized stray light
- Easy installation and maintenance
- Modern and elegant design creating a unique touch in exterior applications

Product code	Product name	Light distribution	Delivered lumens flux	Rated input power	Color temperature	Control	Weight
LB6020.871-US	TRIAN AFX Midi		614 - 2056 lm	8 - 17 W	2200 K CRI 80, 2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70	On/Off, DALI	8.7 kg
LB6042.545-US	TRIAN S	[SLFB] 120x47°	69 - 79 lm	3 W	2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80	On/Off	7.7 lbs

LB6020.546



LB6042.545

**[SLFB]**Special linear,
Forward throw


Extras

Light output

**CLO**

Constant light output

Consult the factory

**C2**


Class II

Luminaire body options

**DPC**Double powder
coating


Accessories (To be ordered separately)

Anchor bolts

**623J014**

623J014


Anchor bolts

**629J014**


629J014




[HM1]
Black




[HM2]
Dark gray




[HM3]
Anthracite
gray



[HM4]
Light gray



[HM5]
White



[HM6]
Bronze



[CC]
Custom
color
(Please
specify RAL
code)