


# VEGA C

Flexible and Reliable Product Family

CE UK CA IK07 IP65



heper<sup>+</sup>





With its square form factor, advanced optics providing perfect beam control, and durable body VEGA C family stand out for highlighting architectural details in modern projects.

- Equipped with HEPER's Hybrid (HYB) module [S] [N]
- 4 different throw options
- Well-defined beam angles with reflector and lens combined (HYB)
- Easy installation and maintenance

Product code	Product name	Light distribution	Delivered lumens flux	Rated input power	Colour temperature	Control	Weight
LD8020.693-EN	VEGA C	[S] 7°, [N] 26°, [MN] 42°, [M] 60°	606 - 1019 lm	10 W	2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80	On/Off, DALI	5.4 kg

LD8020.693



## Extras

Consult the factory

Luminaire body options

120-277V  
50/60Hz

DPC

UNI


120-277V 50/60Hz

DPC

Double powder  
coating

## Accessories (To be ordered separately)

Optical accessories




Visor for VEGA S  
100708016


HPR Pazarlama A.Ş.  
Başkent OSB 22. Cd. No: 2, Malıköy, Temelli,  
Sincan, 06909 Ankara, Turkey  
+90 312 267 54 30  
info@hepergroup.com

HEPER Europe GmbH  
Ahornweg 5a, 58675  
Hemer, Germany  
+49 237 2901 2975  
infoEU@hepergroup.com


We reserve the right to change specifications without prior written notice. Edition: 25.04.2024. For current version visit [heperlighting.com](http://heperlighting.com). All flux ( $\pm 7\%$  tolerance) and power values ( $\pm 10\%$  tolerance) are derived following appropriate IES, CIE, and applicable standards.




**[HM1]**  
Black




**[HM2]**  
Dark grey



**[HM3]**  
Anthracite  
grey



**[HM4]**  
Light grey



**[HM5]**  
White



**[HM6]**  
Bronze



**[CC]**  
Custom  
colour  
(Please  
specify RAL  
code)