VEGA C

СЕ ЦК ІКО7 ІР65



Flexible and Reliable Product Family



With its square form factor, advanced optics providing perfect beam control, and durable body VEGA C family stand out for highlighting architectural details in modern projects.


- Equipped with HEPER's Hybrid (HYB) module [S] [N]
- 4 different throw options
- Well-defined beam angles with reflector and lens combined (HYB)
- Easy installation and maintenance

Product code	Product name	Light distribution	Delivered lumens flux	Rated input power	Colour temperature	Control	Weight
LD8020.693-EN	VEGA C	[S] 7°, [N] 26°, [MN] 42°, [M] 60°,	606 - 1019 lm	10 W	2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80	On/Off, DALI	5.4 kg

HEPER Europe GmbH Ahornweg 5a, 58675 Hemer, Germany

+49 237 2901 2975 infoEU@hepergroup.com

We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.



Accessories (To be ordered separately)

Optical accessories



Visor for VEGA S 100708016

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com

[M]

Medium

We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

[HM4]

Light grey

[HM5]

White

[HM6]

Bronze

[HM1]

Black

[HM2]

Dark grey

[HM3]

Anthracite

grey

[CC] Custom colour (Please specify RAL code)

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3