

NORMA

Elegant and Sturdy Light Column
Family




With its square frame, matching bollard options, and four-way light distribution NORMA family is a reliable choice for contemporary architectural projects.




- Minimized glare with hidden light source
- Four-way light distribution to illuminate areas and pathways while adding a unique effect
- Different height options and matching bollard to complement high-end architectural projects
- Minimalistic design to blend in with different types of architecture
- Easy installation and maintenance

| Product code | Product name | Light distribution | Delivered lumens flux | Rated input power | Color temperature | Control | Weight |
|---------------|--------------|--------------------|-----------------------|-------------------|--|---------------|----------|
| LB6055.510-US | NORMA | [SYM-4L] 120°, | 1148 - 2500 lm | 19 - 36 W | 2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80 | On/Off, 0-10V | 50.7 lbs |
| LB6056.510-US | NORMA L | [SYM-4L] 120°, | 2231 - 3653 lm | 36 - 56 W | 2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80 | On/Off, 0-10V | 73.8 lbs |

LB6055.510



LB6056.510

**[SYM-4L]**

Symmetric,
Special effect: 4
lines

Extras

Luminaire body options


DPC

DPC

Double powder
coating


Accessories (To be ordered separately)

Anchor bolts




90CJ001
90CJ001

Bolt covers




C3F2C.T002
C3F2C.T002

Anchor bolts



90CJ004
90CJ004

Bolt covers



C3F2C.T001
C3F2C.T001

