

POLSO

Elegant and Sturdy Light Column
Family




With its round frame, matching bollard options, and three-way light distribution POLSO family is a reliable choice for contemporary architectural projects.



- Equipped with LED light source
- Minimized glare with recessed light source
- Three-way light distribution to illuminate areas and pathways while adding a unique effect
- Different height options and matching bollard to complement high-end architectural projects
- Minimalistic design to blend in with different types of architecture

Product code	Product name	Light distribution	Delivered lumens flux	Rated input power	Color temperature	Control	Weight
LB6052.509-US	POLSO	[SYM-3L] 38x117°	872 - 1900 lm	15 - 29 W	2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80	On/Off, 0-10V	68 lbs
LB6053.509-US	POLSO L	[SYM-3L] 38x117°	1569 - 2600 lm	29 - 42 W	2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80	On/Off, 0-10V	89.5 lbs

LB6052.509



LB6053.509

**[SYM-3L]**

Symmetric,
Special effect: 3
lines

Extras

Luminaire body options


DPC

DPC

Double powder
coating


Accessories (To be ordered separately)

Anchor bolts




90CJ001
90CJ001

Bolt covers



C1J2K
C1J2K


Anchor bolts




90CJ003
90CJ003




[HM1]
Black




[HM2]
Dark gray



[HM3]
Anthracite
gray



[HM4]
Light gray



[HM5]
White



[HM6]
Bronze



[CC]
Custom
color
(Please
specify RAL
code)