

# POLSO

Elegant and Sturdy Light Column  
Family




With its round frame, matching bollard options, and three-way light distribution POLSO family is a reliable choice for contemporary architectural projects.



- Equipped with LED light source
- Minimized glare with recessed light source
- Three-way light distribution to illuminate areas and pathways while adding a unique effect
- Different height options and matching bollard to complement high-end architectural projects
- Minimalistic design to blend in with different types of architecture

Product code	Product name	Light distribution	Delivered lumens flux	Rated input power	Color temperature	Control	Weight
LB6052.509-US	POLSO	[SYM-3L] 38x117°	872 - 1900 lm	15 - 29 W	2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80	On/Off, 0-10V	68 lbs
LB6053.509-US	POLSO L	[SYM-3L] 38x117°	1569 - 2600 lm	29 - 42 W	2700 K CRI 80, 3000 K CRI 80, 4000 K CRI 70, 4000 K CRI 80	On/Off, 0-10V	89.5 lbs

LB6052.509



LB6053.509

**[SYM-3L]**

Symmetric,  
Special effect: 3  
lines

## Extras

Luminaire body options


**DPC**

**DPC**

Double powder  
coating


## Accessories (To be ordered separately)

Anchor bolts




**90CJ001**  
90CJ001

Bolt covers



**C1J2K**  
C1J2K


Anchor bolts




**90CJ003**  
90CJ003




**[HM1]**  
Black




**[HM2]**  
Dark gray




**[HM3]**  
Anthracite  
gray



**[HM4]**  
Light gray



**[HM5]**  
White



**[HM6]**  
Bronze



**[CC]**  
Custom  
color  
(Please  
specify RAL  
code)