

## SPARK ST W

Flexible, Multi-functional and Adaptable Wall Mounted Family



CE UK CA IK07 IP66



SPARK is a product range tailored for both façade and landscape lighting applications. With its exceptional flexibility and adaptability, it caters to a wide array of usage scenarios.

- Equipped with high efficacy COB LED with long time reliability
- 4 different light distribution options from very narrow to wide
- Available in 2700K and 3000K with a color rendering index value of 90
- Anodized aluminum body with knurled surface improves the thermal management
- Easy locking system for fine tuning and aiming
- 0°/+355° rotatable, 0°/+90° tiltable mechanism allows precise positioning of the light beam

Product code	Product name	Light distribution	Delivered lumens flux	Rated input power	Colour temperature	Control	Weight
LW8044.529-EN	SPARK ST W Duo	[VN] 18°, [N] 24°, [MN] 36°, [M] 60°	1180 - 1570 lm	22 W	2700 K CRI 90, 3000 K CRI 80, 3000 K CRI 90		1.8 kg
LW8049.529-EN	SPARK ST W	[VN] 18°, [N] 24°, [MN] 36°, [M] 60°	590 - 727 lm	10 W	2700 K CRI 90, 3000 K CRI 80, 3000 K CRI 90		1.1 kg



**[VN]** Very narrow      **[N]** Narrow      **[MN]** Medium narrow      **[M]** Medium

## Extras

Light output	Light output	Light output	Light output	Light output	Light output
<b>BCF</b> Blue Colour Filter	<b>GCF</b> Green Colour Filter	<b>HNY</b> Honeycomb	<b>OCF</b> Orange Colour Filter	<b>RCF</b> Red Colour Filter	<b>YCF</b> Yellow Colour Filter

### Luminaire body options




**DPC**  
Double powder coating

## Accessories (To be ordered separately)


Mounting accessories	Optical accessories	Optical accessories
<b>DALI &amp; On/Off driver within an IP67 box for SPARK Duo</b> 007502122	<b>Visor for SPARK</b> 101652204	<b>Snoot for SPARK</b> 101652202




**DALI & On/Off  
driver within an  
IP67 box for  
SPARK**  
007502121




**[HM1]**  
Black




**[HM2]**  
Dark grey




**[HM3]**  
Anthracite  
grey



**[HM4]**  
Light grey



**[HM5]**  
White



**[HM6]**  
Bronze



**[CC]**  
Custom  
colour  
(Please  
specify RAL  
code)