Conical aluminum poles with embedded base

Ø200 mm - 10 m - 90 mm

PABK.D200-EN-H10-S90



Technical details

- Designed per requirements of EN 40 standards
- Pole material: Aluminium 6063-T5.

Diameter / Dimensions (D)	Ø200mm
Thickness	4.7mm
Spigot diameter (S)	Ø90mm
Height (H)	10m
Weight	81.9 kg
SL	2.8m
AD	400*100mm
OP	500mm
PD	1.5m
CD	150*75mm
CP	500mm
Product colours	

Extras

LED Caps	LED caps for pole top (Circular), LED caps for pole top (Triangle)
Spigot converter	Ø60 mm to Ø50 mm

HEPER HQ - HPR Pazarlama A.Ş.
Başkent OSB 22. Cd. No: 2,
Malıköy, Temelli, Sincan, 06909
Ankara, Turkey
+90 312 267 54 30
info@hepergroup.com

HEPER Europe GmbH
Ahornweg 5a, 58675
Hemer, Germany
+49 2372 568 7570
infoEU@hepergroup.com
www.heperlighting.com/de

We reserve the right to change specifications without prior written notice. Edition: 13.10.2026. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name		Type		Quantity	
Date		Note			

PABK.D200-EN-H10-S90-___-___-___

Height (H)	Spigot diameter (S)	Product colours	Extras	Accessories
[H10] 10m	**[S90]** Ø90mm	**[HM1]** Black **[HM2]** Dark grey **[HM3]** Anthracite grey **[HM4]** Light grey **[HM5]** White **[HM6]** Bronze **[CC]** Custom colour (Please specify RAL code) **[WLAO]** Wood-Look: Ash Oak **[WLAS]** Wood-Look: Alpine Spruce **[WLBF]** Wood-Look: Brown Fir **[WLRM]** Wood-Look: Red Mahogany **[WLSO]** Wood-Look: Sienna Oak	**LED Caps** **[LC1]** LED caps for pole top (Circular) **[LC2]** LED caps for pole top (Triangle) **Spigot converter** **[SC3]** Ø60 mm to Ø50 mm	***Accessories (To be ordered separately)*** **Mounting arms** **[PTCS]** Mounting arm - 1 side **[PTCD]** Mounting arm - 2 sides

HEPER HQ - HPR Pazarlama A.Ş.
Başkent OSB 22. Cd. No: 2,
Malıköy, Temelli, Sincan, 06909
Ankara, Turkey
+90 312 267 54 30
info@hepergroup.com

HEPER Europe GmbH
Ahornweg 5a, 58675
Hemer, Germany
+49 2372 568 7570
infoEU@hepergroup.com
www.heperlighting.com/de

We reserve the right to change specifications without prior written notice. Edition: 13.10.2026. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (To be ordered separately)

Mounting arms



Mounting arm - 1 side

PTCS

Mounting arms



Mounting arm - 2 sides

PTCD

HEPER HQ - HPR Pazarlama A.Ş.
Başkent OSB 22. Cd. No: 2,
Malıköy, Temelli, Sincan, 06909
Ankara, Turkey
+90 312 267 54 30
info@hepergroup.com

HEPER Europe GmbH
Ahornweg 5a, 58675
Hemer, Germany
+49 2372 568 7570
infoEU@hepergroup.com
www.heperlighting.com/de

We reserve the right to change specifications without prior written notice. Edition: 13.10.2026. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.