



LB6052.509-US-SYM-3L-700-830



[SYM-3L]

Symmetric, Special  
effect: 3 lines

## Configuration

|                       |                  |
|-----------------------|------------------|
| Light distribution    | [SYM-3L] 38x117° |
| Delivered lumens flux | 1531 lm          |
| Rated input power     | 29 W             |
| Color temperature     | 3000 K CRI 80    |
| Luminaire efficacy    | 54 lm/W          |
| Lamp                  | 3 LED            |
| Color Deviation       | 4 SDCM           |
| Lifetime L90 (hour)   | >72,600          |
| Lifetime L80 (hour)   | >72,600          |


## Options

## Technical information

|                         |                                                                           |
|-------------------------|---------------------------------------------------------------------------|
| Housing                 | Corrosion resistant, marine grade aluminum housing                        |
| Finishing               | Chromate conversion pretreatment followed by electrostatic powder coating |
| Fasteners               | Stainless steel (AISI 304 / EN 1.4301 grade)                              |
| Gasket                  | Liquid silicone                                                           |
| Lens / Reflector        | PMMA lens with high optical efficiency                                    |
| Glass / Diffusor        | Tempered safety glass                                                     |
| Impact protection       | IK05                                                                      |
| Ingress protection      | IP65                                                                      |
| Input voltage           | 120-277V 50/60Hz                                                          |
| Insulation class        | Class I                                                                   |
| Weight                  | 68 lbs                                                                    |
| LED module              | Multi-chip high power LEDs on metal-core PCB                              |
| Driver                  | Internal LED driver                                                       |
| Driver surge protection | 6/6 kV                                                                    |
| Power factor            | > 0.95                                                                    |
| Through wiring          | Single power cord entry                                                   |
| Operating temperature   | -40...50°C                                                                |


Accessories (To be ordered separately)

Anchor bolts



90CJ001  
90CJ001

Bolt covers



C1J2K  
C1J2K

|                                       |  |      |  |  |      |  |          |  |
|---------------------------------------|--|------|--|--|------|--|----------|--|
| Project name                          |  |      |  |  | Type |  | Quantity |  |
| Date                                  |  | Note |  |  |      |  |          |  |
| LB6052.509-US-SYM-3L-700-830-__-__-__ |  |      |  |  |      |  |          |  |

| Light distribution                                       | Rated input power                               | Color temperature                                                                  | Control           | Product colors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------------------------|-------------------------------------------------|------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| [SYM-3L]<br>Symmetric, Special effect: 3 lines - 38x117° | [700]<br>29 W                                   | [830]<br>3000 K CRI 80                                                             | [ONOFF]<br>On/Off | [HM1]<br>Black                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                                                          | [350]<br>15 W                                   | [827]<br>2700 K CRI 80<br><br>[740]<br>4000 K CRI 70<br><br>[840]<br>4000 K CRI 80 | [0-10V]<br>0-10V  | [HM2]<br>Dark gray <br><br>[HM3]<br>Anthracite gray <br><br>[HM4]<br>Light gray <br><br>[HM5]<br>White <br><br>[HM6]<br>Bronze <br><br>[CC] <br>Custom color (Please specify RAL code) |
| Extras                                                   | Accessories ( <i>To be ordered separately</i> ) |                                                                                    |                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Luminaire body options                                   | Anchor bolts                                    |                                                                                    |                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                                          | [90CJ001]<br>90CJ001                            |                                                                                    |                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| [DPC]<br>Double powder coating                           | Bolt covers                                     |                                                                                    |                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                                          | [C1J2K]<br>C1J2K                                |                                                                                    |                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |