# **ZEROX S Hybrid**










### LR9016.693-EN-S-350-827-EN-C1-SS











Spot

#### **Variant**

**Light distribution** [S] 7° **Delivered lumens flux** 476 lm Rated input power 5 W **Colour temperature** 2700 K CRI 80 **Luminaire efficacy** 95 lm/W Lamp 1 LED MacAdam Ellipse 5 SDCM Lifetime L90B50 (hour) >72,600 Lifetime L80B50 (hour) >72,600

### Options

#### Technical information

Mounting	Ground recessed mountable
Housing	Corrosion resistant stainless steel housing (AISI
	316L / EN 1.4571 grade)
Fasteners	Stainless steel (AISI 304 / EN 1.4301 grade)
Gasket	Silicone
Lens / Reflector	High reflectance aluminium coating
Glass / Diffusor	Tempered safety glass
Impact protection	IK10
Ingress protection	IP67
Input voltage	220-240V 50/60Hz
Insulation class	Class I
Weight	2.81 kg
LED module	Multi-chip high power LEDs on metal-core PCB
Driver	Internal LED driver
Driver surge	1/1 kV
protection	
Power factor	> 0.91
Through wiring	Single cable entry

Operating temperature

Cable 0.3 m of rubber-sheated cable

Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

infoEU@hepergroup.com

-25...50°C

# Accessories (To be ordered separately)

Mounting accessories Mounting accessories Mounting accessories









Case removing vacuum

Connector set - 5pole

**Junction Box** 

160404012

141407400

141901135

#### Mounting accessories



Plastic case for **ZEROX S** 

007502091

Project na	me		Туре	Quantity	
Date		Note			

# LR9016.693-EN-S-350-827-\_\_\_-EN-C1-SS-\_\_\_

Light distribution	Rated input power	Colour temperature	Control	Product colours
<b>[S]</b> Spot - 7°	[ <b>350</b> ] 5 W	[ <b>827]</b> 2700 K CRI 80	[ONOFF] On/Off	[SS] Stainless steel
<b>[N]</b> Narrow - 26°	[ <b>700]</b> 10 W	[830] 3000 K CRI 80	[ <b>DALI</b> ] DALI	
	<b>[500]</b> 6 W	<b>[740]</b> 4000 K CRI 70		
		[840] 4000 K CRI 80		
Extras	Accessories (To be ordered separately)			
Consult the factory	Mounting			
<b>[UNI]</b> 120-277V 50/60Hz	[160404012] Case removing vacuum [141407400] Connector set - 5-pole [141901135] Junction Box [007502091] Plastic case for ZEROX S			