ZEROX M Hybrid













LR9017.690-EN-N-350-827-EN-C1-SS











Narrow

Variant

Light distribution [N] 26° Delivered lumens flux 956 lm Rated input power 10 W **Colour temperature** 2700 K CRI 80 **Luminaire efficacy** 95 lm/W Lamp 2 LED MacAdam Ellipse 5 SDCM Lifetime L90B50 (hour) >72,600 Lifetime L80B50 (hour) >72,600

Options

Technical information

Mounting Ground recessed mountable Corrosion resistant stainless steel housing (AISI Housing 316L / EN 1.4571 grade) Stainless steel (AISI 304 / EN 1.4301 grade) **Fasteners** Gasket Silicone Lens / Reflector High reflectance aluminium coating Glass / Diffusor Tempered safety glass Impact protection IK10 Ingress protection IP67 Input voltage 220-240V 50/60Hz **Insulation class** Class I 4.06 kg Weight Multi-chip high power LEDs on metal-core PCB **LED** module Internal LED driver Driver **Driver surge** 1/1 kV protection **Power factor** > 0.90

Operating temperature

Through wiring

Cable 0.3 m of rubber-sheated cable

Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com Single cable entry -30...50°C

Accessories (To be ordered separately)

Mounting accessories Mounting accessories Mounting accessories









Case removing vacuum

Connector set - 5pole

Junction Box

160404012

141407400

141901135

Mounting accessories



Plastic case for **ZEROX M**

007502092

Project na	me		Туре	Quantity	
Date		Note			

LR9017.690-EN-N-350-827-___-EN-C1-SS-__

Product colours	Control	Colour temperature	Rated input power	Light distribution
	[ONOFF] On/Off	[827] 2700 K CRI 80	[350] 10 W	[N] Narrow - 26°
	[DALI] DALI	[830] 3000 K CRI 80	[700] 18 W	[S] Spot - 7°
		[740] 4000 K CRI 70	[500] 13 W	
		[840] 4000 K CRI 80		
			Accessories (To be ordered separately)	Extras
			Mounting	Consult the factory
		-	accessories	[UNI]
			[160404012] Case removing vacuum	120-277V 50/60Hz
			[141407400] Connector set - 5-pole	
			[141901135] Junction Box	
			[007502092] Plastic case for ZEROX M	
			Plastic case for ZEROX	