# **ZEROX M Dyno**


# CE UK IK10 IP67






## LR9017.522-EN-WW-350-840-EN-C1-SS











Wall-wash

### **Variant**

**Light distribution** [WW] 35x28° Delivered lumens flux 497 lm Rated input power 5 W **Colour temperature** 4000 K CRI 80 99 lm/W **Luminaire efficacy** Lamp 2 LED MacAdam Ellipse 3 SDCM Lifetime L90B50 (hour) >42,000 Lifetime L80B50 (hour) >42,000

## Options

#### Technical information

Mounting Ground recessed mountable Corrosion resistant stainless steel housing (AISI Housing 316L / EN 1.4571 grade) **Fasteners** Stainless steel (AISI 304 / EN 1.4301 grade) Gasket Silicone Lens / Reflector High reflectance aluminium coating, multifaceted micro reflector Glass / Diffusor Tempered safety glass IK10 Impact protection Ingress protection IP67 Input voltage 220-240V 50/60Hz **Insulation class** Class I Weight 4.06 kg High power LEDs on metal-core PCB **LED** module Internal LED driver Driver 3/3 kV **Driver surge** protection **Power factor** > 0.40 Through wiring Single cable entry

Operating -40...50°C temperature

Cable 0.3 m of rubber-sheated cable

# Accessories (To be ordered separately)

Mounting accessories Mounting accessories Mounting accessories







Case removing vacuum

Connector set - 5pole

**Junction Box** 

160404012 141407400 141901135

Mounting accessories



Plastic case for **ZEROX M** 

007502092

Project na	me		Туре	Quantity	
Date		Note			

# LR9017.522-EN-WW-350-840-\_\_\_-EN-C1-SS-\_\_

Rated input power	Colour temperature	Control	[SS] Stainless steel	
[ <b>350</b> ] 5 W	[840] 4000 K CRI 80	[ONOFF] On/Off		
	[ <b>827</b> ] 2700 K CRI 80	[ <b>DALI</b> ] DALI		
	[ <b>830</b> ] 3000 K CRI 80			
	[740] 4000 K CRI 70			
Accessories (To be ordered separately)				
Mounting				
accessories	-			
[160404012] Case removing vacuum				
[141407400] Connector set - 5-pole				
[141901135] Junction Box				
[007502092] Plastic case for ZEROX M				
	[350] 5 W  Accessories (To be ordered separately)  Mounting accessories  [160404012] Case removing vacuum  [141407400] Connector set - 5-pole  [141901135] Junction Box  [007502092] Plastic case for ZEROX	[350] 5 W  [840] 4000 K CRI 80  [827] 2700 K CRI 80  [830] 3000 K CRI 80  [740] 4000 K CRI 70   Accessories (To be ordered separately)  Mounting accessories  [160404012] Case removing vacuum  [141407400] Connector set - 5-pole  [141901135] Junction Box  [007502092] Plastic case for ZEROX	[350] 5 W  [840] 4000 K CRI 80  [827] 2700 K CRI 80  [830] 3000 K CRI 80  [740] 4000 K CRI 70   Accessories (To be ordered separately)  Mounting accessories  [160404012] Case removing vacuum  [141407400] Connector set - 5-pole  [141901135] Junction Box [007502092] Plastic case for ZEROX	