

### **PUNTO S W Duo**

# heper "

#### LW7036.519-US-S-S-700-830









[S-S]
Spot - NEMA Type 0
(Up & Down)

# Configuration

**Light distribution** [S-S] 7° **Delivered lumens flux** 1888 lm Rated input power 18 W **Color temperature** 3000 K CRI 80 **Luminaire efficacy** 104 lm/W Lamp 2 LED **Color Deviation** 5 SDCM **BUG** rating B1-U0-G0 >72,600 Lifetime L90 (hour) Lifetime L80 (hour) >72,600

#### Options

#### Technical information

rechnical inform	ation				
Mounting	Wall mountable				
Housing	Corrosion resistant, marine grade aluminum				
	housing				
Finishing	Chromate conversion pretreatment followed by				
	electrostatic powder coating				
Fasteners	Stainless steel (AISI 304 / EN 1.4301 grade)				
Gasket	Silicone rubber				
Lens / Reflector	High reflectance aluminium coating [S] [N],				
	PMMA lens with high optical efficiency [MN] [M]				
Glass / Diffusor	Tempered safety glass				
Impact protection	IK08				
Ingress protection	IP65				
Input voltage	120-277V 50/60Hz				
Insulation class	Class I				
Weight	3.3 lbs				
LED module	Multi-chip high power LEDs on metal-core PCB				
Driver	Internal LED driver				
Driver surge	2/2 kV				
protection					
Power factor	> 0.90				
Through wiring	Single power cord entry				
Operating	-4050°C				
temperature					
Power cord	8" of flexible power cord				
Notes	Please consult factory for combinations of				

different beam spreads.

# Accessories (To be ordered separately)

Optical accessories



Visor for PUNTO S

007502282

Project na	me			Туре	Quantity		
Date			Note				

# LW7036.519-US-S-S-700-830-\_\_\_-

Light distribution Ra	ated input power	Color temperature	Control	Product colors
Spot - NEMA Type 0 18	<b>700]</b> B W	[ <b>830</b> ] 3000 K CRI 80	[ONOFF] On/Off	[HM1] Black
(Up & Down) - 7°  [N-N]  Narrow - NEMA Type 2 (Up & Down) - 26°  [MN-MN]  Medium Narrow (Up & Down) - 42°  [M-M]  Medium (Up & Down) - 60°		[827] 2700 K CRI 80 [740] 4000 K CRI 70 [840] 4000 K CRI 80	[ <b>0-10V</b> ] 0-10V	[HM2] Dark gray  [HM3] Anthracite gray  [HM4] Light gray  [HM5] White  [HM6] Bronze  [CC] Custom color (Please specify RAL code)

Accessories (To be ordered separately)

**Optical accessories** 

[007502282]

Visor for PUNTO S