


# **MOLTO 4 Hybrid**

# heper, t

### LR9012.695-EN-N-700-840-SS









Narrow - NEMA Type

### Configuration

**Light distribution** [N] 26° Delivered lumens flux 3810 lm Rated input power 35 W **Color temperature** 4000 K CRI 80 95 lm/W **Luminaire efficacy** 4 LED Lamp **Color Deviation** 5 SDCM Lifetime L90 (hour) >72,600 Lifetime L80 (hour) >72,600

### Options

#### Technical information

Mounting Ground recessed mountable Housing Corrosion resistant stainless steel housing (AISI 316L / EN 1.4571 grade) **Fasteners** Stainless steel (AISI 304 / EN 1.4301 grade) Gasket Silicone Lens / Reflector High reflectance aluminium coating Glass / Diffusor Tempered safety glass Impact protection **IK08** Ingress protection IP67 Input voltage 220-240V 50/60Hz **Insulation class** Class I 5.37 kg Weight Multi-chip high power LEDs on metal-core PCB **LED** module External LED driver Driver **Driver surge** 4/4 kV protection **Power factor** > 0.97

Through wiring

Operating

Single power cord entry

-40...50°C

temperature

**Power cord** 12" of rubber-sheated power cord

#### Mounting accessories



Aluminium case for ZETA 8 Dyno / **MOLTO 4 Hybrid** 

007500618



Case removing vacuum

160404012

#### Mounting accessories Mounting accessories Mounting accessories



Connector set - 5pole

141407400



Junction Box

141901135

Project name					Туре	Quantity	
Date			Note				

## LR9012.695-EN-N-700-840- -SS-

Light distribution	Rated input power	Color temperature	Control	Product colors
[N] Narrow - NEMA Type	[ <b>700</b> ] 35 W	[ <b>840]</b> 4000 K CRI 80	[ONOFF] On/Off	[SS] Stainless steel
2 - 26° [S]		[ <b>827</b> ] 2700 K CRI 80	[ <b>DALI]</b> DALI	
Spot - NEMA Type 0 - 7°		[ <b>830</b> ] 3000 K CRI 80		
		[ <b>740]</b> 4000 K CRI 70		
	Accessories	Accessories ( <i>To be</i>		
Extras	(Included)	ordered separately)		
Consult the factory	Mounting	Mounting		
[UNI]	accessories	accessories		
120-277V 50/60Hz	[007500618] Aluminium case for ZETA 8 Dyno / MOLTO	[160404012] Case removing vacuum		
	4 Hybrid	[141407400] Connector set - 5-pole		
		[141901135] Junction Box		