

€ UK

Product specific pole with flange plate - 180*70 mm PRIFMA

heper

PAFD.R03.T001-H6





Variant

Diameter / Dimensions (D)	180*70mm	
Thickness	3mm	
Height (H)	6m	
Weight	36.61 kg	
AD	300*90mm	
OP	1m	

Options

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 03.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (Included)

Accessories (To be ordered separately)

Anchorages

Flanges



100712034 100712034

Flange covers





C3T2X C3T2X

350 mm 13 25/32* 80 mm 3 5/32" 4*M12 500 mm

90BJ001 90BJ001

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 03.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 $\,$ tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name			Туре	Quantity
Date	Note		· · ·	
PAFD.R03.T001	H6			
Spigot diameter (S)	Height (H)	Product colours	Accessories	
	[H6]	[HM1]	Included	
	6m	Black	Flanges	
	[H3] 3m m	[HM2] Dark grey	[100712034] 100712034	
	[H4] 4m m	[HM3] Anthracite grey	To be ordered separately	
	[H5] 5m m	[HM4]	Flange covers	
		Light grey [HM5]	[C3T2X] C3T2X	
		White	Anchorages	
		[HM6] Bronze	[90BJ001] 90BJ001	
		[CC] (Custom colour (Pleas specify RAL code)	e	

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH Ahornweg 5a, 58675

Hemer, Germany

+49 237 2901 2975

infoEU@hepergroup.com

We reserve the right to change specifications without prior written notice. Edition: 03.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 $\,$ tolerance) are derived following appropriate IES, CIE, and applicable standards.