

### **VEGA**

# heper "

#### LF8021.695-US-MN-700-740









[MN] Medium narrow -NEMA Type 3

## Configuration

**Light distribution** [MN] 42° **Delivered lumens flux** 3140 lm 35 W Rated input power **Color temperature** 4000 K CRI 70 91 lm/W **Luminaire efficacy** 4 LED Lamp **Color Deviation** 3 SDCM Lifetime L90 (hour) >60,000 >60,000 Lifetime L80 (hour)

#### Options

#### Technical information

Mounting Tilt angle	Yoke mount (standard), stake mount (optional) +60°/-30°
J	
Housing	Corrosion resistant, die-cast, marine grade
	aluminum housing
Finishing	Chromate conversion pretreatment followed by
	electrostatic powder coating
Fasteners	Stainless steel (AISI 304 / EN 1.4301 grade)
Gasket	Liquid silicone
Lens / Reflector	High reflectance aluminium coating [S] [N],
	PMMA lens with high optical efficiency [MN] [M]
Glass / Diffusor	Tempered safety glass
Impact protection	IK07
Ingress protection	IP65
Input voltage	120-277V 50/60Hz
Insulation class	Class I
Wind catching area	0.40 ft <sup>2</sup>
(EPA)	
Weight	14.3 lbs

 LED module
 Multi-chip high power LEDs on metal-core PCB

 Driver
 Internal LED driver

 Driver surge
 10/6 kV

 protection

Power factor > 0.95
Through wiring Single power cord entry
Operating -40...50°C

temperature

**Power cord** 16" of flexible power cord

heperlighting.com. All flux ( $\pm$ %7 tolerance) and power values ( $\pm$ %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

# Accessories (To be ordered separately)

Optical accessories

Mounting accessories





Visor for VEGA

**Spike** 160405040

Project na	me		Туре	Quantity	
Date		Note			

## LF8021.695-US-MN-700-740-\_\_--\_

Light distribution	Rated input power	Color temperature	Control	Product colors
[MN] Medium narrow -	[ <b>700]</b> 35 W	[ <b>740]</b> 4000 K CRI 70	[ONOFF] On/Off	[HM1] Black
ISJ Spot - NEMA Type 0 - 7°  [N] Narrow - NEMA Type 2 - 26°  [M] Medium - NEMA Type 4 - 60°		[827] 2700 K CRI 80 [830] 3000 K CRI 80 [840] 4000 K CRI 80	[ <b>0-10V</b> ] 0-10V	[HM2] Dark gray  [HM3] Anthracite gray  [HM4] Light gray  [HM5] White  [HM6] Bronze  [CC] Custom color (Pleas specify RAL code)
Extras	Accessories (To be ordered separately)	_		
Luminaire body options	Optical accessories			
[DPC] Double powder coating	[100708017] Visor for VEGA			
	Mounting accessories			
	<b>[160405040]</b> Spike			