
186*120 mm DOMINO

€ UK



PAFD.R01.T003-H3





Variant

Diameter / Dimensions (D)
Thickness
Height (H)
Weight
AD
OP

180*120mm 2.5mm 3m 29.57 kg 300*90mm 530mm

Options

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 06.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 $\,$ tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (Included)

Accessories (To be ordered separately)

Flanges



110846018 110846018

Flange covers

Anchorages





C3N2C

90CJ005 90CJ005

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 06.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name			Туре	Quantity
Date	Note		· · ·	
PAFD.R01.T003	В-НЗ			
Spigot diameter (S)	Height (H)	Product colours	Accessories	
	[H3]	[HM1]	Included	
	3m	Black	Flanges	
	[H4] 4m m	[HM2] Dark grey	[110846018] 110846018	
	[H5] 5m m	[HM3] Anthracite grey	To be ordered separately	
	[H6] 6m m	[HM4]	Flange covers	
		Light grey [HM5]	[C3N2C] C3N2C	
		White	Anchorages	
		[HM6] Bronze	[90CJ005] 90CJ005	
		[CC] (Custom colour (Please specify RAL code)	e	

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 06.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3