186*120 mm DOMINO

€ UK



PAFD.R01.T003-H5





Variant

Diameter / Dimensions (D)
Thickness
Height (H)
Weight
AD
OP

180*120mm 2.5mm 5m 63.71 kg 300*90mm 530mm

Options

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 $\,$ tolerance) are derived following appropriate IES, CIE, and applicable standards.

1/3

Accessories (Included)

Accessories (To be ordered separately)

Flanges



110846018 110846018

Flange covers

Anchorages





C3N2C C3N2C

90CJ005 90CJ005

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name			Туре	Quantity
Date	Note			
PAFD.R01.T003-	H5			
Spigot diameter (S)	Height (H)	Product colours	Accessories	
	[H5]	[HM1]	Included	
	5m	Black	Flanges	
	[H3] 3m m	[HM2] Dark grey	[110846018] 110846018	
	[H4] 4m m	[HM3] Anthracite grey	To be ordered separately	
	[H6] 6m m	[HM4]	Flange covers	
		Light grey [HM5]	[C3N2C] C3N2C	
		White	Anchorages	
		[HM6] Bronze	[90CJ005] 90CJ005	
		[CC] (Please specify RAL code)		

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.