
186*120 mm DOMINO

€ UK



PAFD.R01.T003-H6





Variant

Diameter / Dimensions (D)	
Thickness	
Height (H)	
Weight	
AD	
ОР	

180*120mm 2.5mm 6m 68.81 kg 300*90mm 530mm

Options

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 04.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

1/3

Accessories (Included)

Accessories (To be ordered separately)

Flanges



110846018 110846018

Flange covers

Anchorages





C3N2C C3N2C



90CJ006 90CJ006

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 04.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name				Туре		Quantity
Date		Note				
PAFD.R01.T0	03-H6					
Spigot diameter	(S) Height (H)	Product colours	ours Accessories		
	[H6]		[HM1]	Included		
	6m		Black	Flanges		
	[H3] 3m m		[HM2] Dark grey	[110846018 110846018		
	[H4] 4m m		[HM3] Anthracite grey	To be orde separately		
	[H5] 5m m		[HM4]	Flange cov	/ers	
			Light grey [HM5]	[C3N2C] C3N2C		
			White	Anchorage	es	
			[HM6] Bronze	[90CJ006] 90CJ006		
			[CC] (Please specify RAL code)			

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 04.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3