| HPR Pazarlama A.Ş.                           |
|----------------------------------------------|
| Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, |
| Sincan, 06909 Ankara, Turkey                 |
| +90 312 267 54 30                            |
| info@hepergroup.com                          |

#### HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

## 1/3

# Product specific pole with flange plate - 186\*120 mm TILA

### PAFD.R01.T001-H6

| PHASED-<br>OUT |  |  |
|----------------|--|--|

| Variant                   |           |
|---------------------------|-----------|
| Diameter / Dimensions (D) | 186*120mm |
| Thickness                 | 2.5mm     |
| Height (H)                | 6m        |
| Weight                    | 71.61 kg  |
| AD                        | 300*90mm  |
| OP                        | 515mm     |

Options

€ UK



### Accessories (Included)

### Accessories (To be ordered separately)

#### Flanges



**110846012** 110846012

### Flange covers

### Anchorages





C3N2C C3N2C

**90CJ006** 90CJ006

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

#### HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

| Project nam         | e                   |                      |       |                                                  | Туре                          |    | Quantity |
|---------------------|---------------------|----------------------|-------|--------------------------------------------------|-------------------------------|----|----------|
| Date                |                     |                      | Note  |                                                  |                               |    |          |
| PAFD.R01            | I.T001-I            | H6                   |       |                                                  |                               |    |          |
| Spigot diameter (S) |                     | Height (H)           |       | Product colours                                  | Accessorie                    | es |          |
|                     |                     | [H6]                 |       | [HM1]                                            | Included                      |    |          |
|                     |                     | 6m                   |       | Black                                            | Flanges                       |    |          |
|                     |                     | <b>[H3]</b><br>3m m  |       | [HM2]<br>Dark grey                               | <b>[11084601</b><br>110846012 |    |          |
|                     |                     | [ <b>H4]</b><br>4m m |       | [HM3] Anthracite grey                            | To be orde<br>separately      |    |          |
|                     | <b>[H5]</b><br>5m m |                      | [HM4] | Flange cov                                       | vers                          | _  |          |
|                     |                     |                      |       | Light grey [HM5]                                 | [C3N2C]<br>C3N2C              |    |          |
|                     |                     |                      | White | Anchorag                                         | es                            |    |          |
|                     |                     |                      |       | [HM6]<br>Bronze                                  | <b>[90CJ006]</b><br>90CJ006   |    |          |
|                     |                     |                      |       | [CC] (Clastom colour (Pleas<br>specify RAL code) | e                             |    |          |

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675

infoEU@hepergroup.com

Hemer, Germany

+49 237 2901 2975

We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux ( $\pm$ %7 tolerance) and power values ( $\pm$ %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3