# Round tapered aluminum pole with base plate - Ø4 1/2"



### PAFK.D114-S60-H4



#### Configuration

Diameter / Dimensions (D)	Ø4 1/2"
Thickness	0.1"
Spigot / End diameter (S)	Ø2 3/8"
Height (H)	13.1'
Weight	32.6 lb
SL	5.91'
AD	15 3/4 x 3 11 11/32"
OP	19 11/16"

Options

## Accessories (Included)

## Accessories (To be ordered separately)

Anchor bolts

90BJ002

90BJ002

#### Base plates



F0303B







Mounting arms

**C1C2B** C1C2B

Mounting arm - 2 sides

PTCD

#### Mounting arms



Mounting arm - 1 side PTCS

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 07.05.2024. For current version visit heperlighting.com. All flux ( $\pm$ %7 tolerance) and power values ( $\pm$ %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name			Туре	Quantity
Date	Note			
PAFK.D114-S60	)-H4			
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
<b>[S60]</b> Ø2 3/8"	<b>[H4]</b> 13.1'	[HM1]	LED Caps	Included
		Black	[LC1]	Base plates
<b>[\$76]</b> Ø3"	<b>[H3]</b> 10'	[HM2] Dark gray	LED caps for pole top (Circular)	<b>[F0303B]</b> F0303B
[ <b>H5</b> ] 16.4'		[HM3] Anthracite gray	[LC2] LED caps for pole top (Triangle)	To be ordered separately
		[HM4] Light gray [HM5]	Spigot converter	Bolt covers
			<b>[SC3]</b> 2 3/8" to 2"	[ <b>C1C2B</b> ] C1C2B
		White		Anchor bolts
		[HM6] Bronze		<b>[90BJ002]</b> 90BJ002
		[CC] (Please specify RAL code)		Mounting arms
				<b>[PTCD]</b> Mounting arm - 2 sides
				<b>[PTCS]</b> Mounting arm - 1 side