
Product specific pole with flange plate - Ø200 mm URBAN

PAFC.C01.T001-H4





Variant

Diameter / Dimensions (D)	Ø200mm
Thickness	4.7mm
Height (H)	4m
Weight	44.5 kg
AD	400*100mm
OP	500mm

Options


HPR Pazarlama A.Ş.
Başkent OSB 22. Cd. No: 2, Malıköy, Temelli,
Sincan, 06909 Ankara, Turkey
+90 312 267 54 30
info@hepergroup.com

HEPER Europe GmbH
Ahornweg 5a, 58675
Hemer, Germany
+49 237 2901 2975
infoEU@hepergroup.com

We reserve the right to change specifications without prior written notice. Edition: 28.03.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (Included)

Flanges




100770020

100770020

Accessories (To be ordered separately)


Flange covers



C1J2D

C1J2D

Anchorages



90CJ004

90CJ004

HPR Pazarlama A.Ş.
Başkent OSB 22. Cd. No: 2, Malıköy, Temelli,
Sincan, 06909 Ankara, Turkey
+90 312 267 54 30
info@hepergroup.com

HEPER Europe GmbH
Ahornweg 5a, 58675
Hemer, Germany
+49 237 2901 2975
infoEU@hepergroup.com

We reserve the right to change specifications without prior written notice. Edition: 28.03.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name		Type		Quantity	
Date		Note			

PAFC.C01.T001-H4-___

Spigot diameter (S)	Height (H)	Product colours	Accessories
	[H4] 4m	**[HM1]** Black	***Included***
	[H3] 3m m	**[HM2]** Dark grey	**Flanges**
	[H5] 5m m	**[HM3]** Anthracite grey	**[100770020]** 100770020
		[HM4] Light grey	***To be ordered separately***
		[HM5] White	**Flange covers**
		[HM6] Bronze	**[C1J2D]** C1J2D
		[CC] Custom colour (Please specify RAL code)	**Anchorages**
			[90CJ004] 90CJ004

HPR Pazarlama A.Ş.
Başkent OSB 22. Cd. No: 2, Malıköy, Temelli,
Sincan, 06909 Ankara, Turkey
+90 312 267 54 30
info@hepergroup.com

HEPER Europe GmbH
Ahornweg 5a, 58675
Hemer, Germany
+49 237 2901 2975
infoEU@hepergroup.com

We reserve the right to change specifications without prior written notice. Edition: 28.03.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.