Product specific pole with flange plate - Ø200 mm URBAN



PAFC.C01.T001-H4





Variant

Diameter / Dimensions (D)	Ø200mm
Thickness	4.7mm
Height (H)	4m
Weight	44.5 kg
AD	400*100mm
OP	500mm

Options

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 04.07.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards. 1/3

Accessories (Included)

Accessories (To be ordered separately)

Anchorages

Flanges



100770020 100770020

Flange covers





C1J2K C1J2K

90CJ004

90CJ004

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 04.07.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 $\,$ tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name					Туре		Quantity
Date			Note				
PAFC.C01.T0	01-H4	_					
Spigot diameter	(S) Heig	Height (H)		Product colours	Accesso	Accessories	
	[H4]			[HM1]	Included		
		4m		Black	Flanges		
	[H3] 3m r	n		[HM2] Dark grey	[1007700 1007700		
	[H5] 5m r			[HM3] Anthracite grey	To be ord separate		
				[HM4]	Flange c	overs	
				Light grey [HM5]	[C1J2K] C1J2K		
				White	Anchora	ges	
				[HM6] Bronze	[90CJ004 90CJ004]	
				[CC] (Plea Specify RAL code)	se		

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 04.07.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3