Round tapered aluminum pole with base plate - Ø4 3/4"



PAFK.D122-S76-H5





Configuration

Diameter / Dimensions (D)	Ø5"
Thickness	0.1"
Spigot / End diameter (S)	Ø3"
Height (H)	16.4'
Weight	41.2 lb
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"

Options

Base plates



F0402B

F0402B

Bolt covers



C1D2B

C1D2B

Anchor bolts



90BJ004

90BJ004

Mounting arms



Mounting arm - 2 sides

PTCD

Mounting arms



Mounting arm - 1 side

PTCS

and applicable standards.

Project name				Туре	Quantity
Date		Note			
PAFK.D122	-S76-H5	-			
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
[S76]	[H5]		[HM1]	LED Caps	Included
Ø3"	16.4' Black [LC1]	Base plates			
[S60] Ø2 3/8"	[H4] 13.1'	[H4] 13.1' LED caps for pole to (Circular)	[F0402B] F0402B		
	[H6] 19.7'		[HM3] Anthracite gray	LED caps for p (Triangle)	To be ordered separately
Light gray			Light gray [HM5]	Spigot conve	rter Bolt covers
				[SC1] 3" to 2 3/8"	[C1D2B] C1D2B
				.	Anchor bolts
		•	[90BJ004] 90BJ004		
		Mounting arms			
			[PTCD] Mounting arm - 2 sides		
					[PTCS] Mounting arm - 1 si