## Round tapered aluminum pole with base plate - Ø4 3/4"



PAFK.D122-S76-H6



#### Configuration

Diameter / Dimensions (D)	Ø5"
Thickness	0.1"
Spigot / End diameter (S)	Ø3"
Height (H)	19.7'
Weight	46.5 lb
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"

Options

## Accessories (Included)

## Accessories (To be ordered separately)

Anchor bolts

#### Base plates



F0402B

124 mm

Bolt covers



501 Am 10 Ti Arg 20 Sm 20 Sm 20 Sm 20 Sm 10 Ti Arg 40 Sm 

Mounting arms

C1D2B

# **90BJ004** 90BJ004

Mounting arm - 2 sides PTCD





Mounting arm - 1 side PTCS

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 27.04.2024. For current version visit heperlighting.com. All flux ( $\pm$ %7 tolerance) and power values ( $\pm$ %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name			Туре	Quantity
Date	Note		· · ·	· · ·
PAFK.D122-S76	5-H6			
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
<b>[576]</b> Ø3"	<b>[H6]</b> 19.7'	[HM1]	LED Caps	Included
		Black [LC1]		Base plates
<b>[S60]</b> Ø2 3/8"	[H4] 13.1'[HM2] Dark grayLED caps for pole top (Circular)		<b>[F0402B]</b> F0402B	
	<b>[H5]</b> 16.4'	[HM3] Anthracite gray	[LC2] LED caps for pole top (Triangle)	To be ordered separately
		[HM4] Light gray [HM5] White	Spigot converter	Bolt covers
			<b>[SC1]</b> 3" to 2 3/8"	<b>[C1D2B]</b> C1D2B
				Anchor bolts
		[HM6] Bronze		<b>[90BJ004]</b> 90BJ004
		[CC] (Please specify RAL code)		Mounting arms
				<b>[PTCD]</b> Mounting arm - 2 sides
				<b>[PTCS]</b> Mounting arm - 1 side