# Round tapered aluminum pole with base plate - Ø4 3/4"



### PAFK.D122-S60-H5





## Configuration

Ø5"
0.1"
Ø2 3/8"
16.4'
39.9 lb
5.91'
15 3/4 x 3.5"
19 11/16"

## Options

#### Base plates



F0402B

F0402B

#### **Bolt covers**



C1D2B

C1D2B

#### Anchor bolts



90BJ004

90BJ004

Mounting arms



Mounting arm - 2 sides

PTCD

#### Mounting arms



Mounting arm - 1 side

PTCS

and applicable standards.

Project name				Туре	Quantity	
Date	·	Note		·		
PAFK.D122-S	60-H5					
Spigot / End diameter (S)	Height (H)		Product colors	Extras	Accessories	
[S60]	[H5]		[HM1]	LED Caps	Included	
Ø2 3/8" [S76] Ø3"	16.4'		Black	[LC1]	Base plates	
	[ <b>H4</b> ] 13.1'		[HM2] Dark gray	LED caps for pole top (Circular)	<b>[F0402B]</b> F0402B	
	[ <b>H6]</b> 19.7'		[HM3] Anthracite gray	[LC2] LED caps for pole top (Triangle)	To be ordered separately	
				[HM4]	Spigot converter	Bolt covers
				Light gray [HM5]	[SC3] 2 3/8" to 2"	[C1D2B] C1D2B
			White	_	Anchor bolts	
			[HM6] Bronze	•	[ <b>90BJ004</b> ] 90BJ004	
			[CC] (Please		Mounting arms	
			specify RAL code)	e	[PTCD] Mounting arm - 2 sides	
					[PTCS] Mounting arm - 1 sid	