

Round tapered aluminum
pole with base plate - Ø4
3/4"

PAFK.D122-S60-H6



Configuration

| | |
|---------------------------|---------------|
| Diameter / Dimensions (D) | Ø5" |
| Thickness | 0.1" |
| Spigot / End diameter (S) | Ø2 3/8" |
| Height (H) | 19.7' |
| Weight | 44.7 lb |
| SL | 5.91' |
| AD | 15 3/4 x 3.5" |
| OP | 19 11/16" |

Options

Accessories (Included)


Base plates



F0402B
F0402B


Accessories (To be ordered separately)

Bolt covers




C1D2B
C1D2B

Anchor bolts




90BJ004
90BJ004

Mounting arms










Mounting arm - 2
sides
PTCD

Mounting arms



Mounting arm - 1
side
PTCS

| | | | | | | | |
|---------------------------|------------------------------------|--|---|---|---------------------------------|----------|--|
| Project name | | | | Type | | Quantity | |
| Date | | Note | | | | | |
| PAFK.D122-S60-H6-__-__-__ | | | | | | | |
| Spigot / End diameter (S) | Height (H) | Product colors | | Extras | Accessories | | |
| [S60] Ø2 3/8" | [H6] 19.7' | [HM1] Black |  | LED Caps | <i>Included</i> | | |
| [S76] Ø3" | [H4] 13.1' [H5] 16.4' | [HM2] Dark gray |  | [LC1] LED caps for pole top (Circular) | Base plates | | |
| | | [HM3] Anthracite gray |  | [LC2] LED caps for pole top (Triangle) | [F0402B] F0402B | | |
| | | [HM4] Light gray |  | Spigot converter | <i>To be ordered separately</i> | | |
| | | [HM5] White |  | [SC3] 2 3/8" to 2" | Bolt covers | | |
| | | [HM6] Bronze |  | | [C1D2B] C1D2B | | |
| | | [CC] Custom color (Please specify RAL code) |  | | Anchor bolts | | |
| | | | | [90BJ004] 90BJ004 | | | |
| | | | | Mounting arms | | | |
| | | | | [PTCD] Mounting arm - 2 sides | | | |
| | | | | [PTCS] Mounting arm - 1 side | | | |