Round tapered aluminum pole with base plate - Ø5 7/8"



PAFK.D148-S60-H8



Configuration

Diameter / Dimensions (D)	Ø6"
Thickness	0.1"
Spigot / End diameter (S)	Ø2 3/8"
Height (H)	26.2'
Weight	66.8 lbs
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"

Options

Accessories (Included)

Accessories (To be ordered separately)

Anchor bolts

Base plates



F0702B







Mounting arms

C1F2C

250 mm 9 27/32* 750 mm 9 9 0 C J 0 0 6

90CJ006

Mounting arm - 1 side

ID

PTCS

Mounting arms



Mounting arm - 2 sides PTCD

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com

Project name			Туре	Quantity
Date	Note			· · ·
PAFK.D148-S60	-H8			
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
[560] Ø2 3/8"	[H8] 26.2'	[HM1]	LED Caps	Included
		Black	[LC1]	Base plates
[576] Ø3"	[H6] 19.7'	[HM2] Dark gray	LED caps for pole top (Circular)	[F0702B] F0702B
	[H7] 23.0'	[HM3] Anthracite gray	[LC2] LED caps for pole top (Triangle)	To be ordered separately
		[HM4] Light gray [HM5]	Spigot converter	Bolt covers
			[SC3] 2 3/8" to 2"	[C1F2C] C1F2C
		White		Anchor bolts
		[HM6] Bronze		[90CJ006] 90CJ006
		[CC] (Please		Mounting arms
		specify RAL code)		[PTCS] Mounting arm - 1 side [PTCD] Mounting arm - 2