# Round tapered aluminum pole with base plate - Ø5 7/8"



PAFK.D148-S60-H8





# Configuration

Diameter / Dimensions (D)	Ø6"
Thickness	0.1"
Spigot / End diameter (S)	Ø2 3/8"
Height (H)	26.2'
Weight	66.8 lbs
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"

Options

and applicable standards.

## Base plates



F0702B

F0702B

#### **Bolt covers**



C1F2C

C1F2C


#### Anchor bolts



90CJ006

90CJ006

## Mounting arms



Mounting arm - 1 side

PTCS

#### Mounting arms



Mounting arm - 2 sides

PTCD

and applicable standards.

Project name			Туре	Quantity
Date	Note			
PAFK.D148-S6	б0-Н8- <u></u>			
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
[S60]	[H8]	[HM1]	LED Caps	Included
Ø2 3/8"	26.2' Black	[LC1]	Base plates	
[ <b>S76</b> ] Ø3"	[ <b>H6</b> ] 19.7'	[HM2] Dark gray	LED caps for pole top (Circular)	<b>[F0702B]</b> F0702B
	[ <b>H7</b> ] 23.0'	[HM3] Anthracite gray	[LC2] LED caps for pole top (Triangle)	To be ordered separately
		[HM4]	Spigot converter	Bolt covers
		Light gray [HM5]	[SC3] 2 3/8" to 2"	[C1F2C] C1F2C
		White		Anchor bolts
		[HM6] Bronze	•	[ <b>90CJ006</b> ] 90CJ006
		[CC] Sustom color (Please		Mounting arms
		specify RAL code)		[PTCS] Mounting arm - 1 side
				[PTCD] Mounting arm - 2 sides