# Round tapered aluminum pole with base plate - Ø5 7/8"



## PAFK.D148-S76-H6





## Configuration

Diameter / Dimensions (D)	Ø6"
Thickness	0.1"
Spigot / End diameter (S)	Ø3"
Height (H)	19.7'
Weight	55.7 lbs
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"

# Options

## Base plates



F0603B

F0603B

#### **Bolt covers**



C1F2C

C1F2C

#### Anchor bolts



90CJ005

90CJ005


## Mounting arms



Mounting arm - 2 sides

PTCD

## Mounting arms



Mounting arm - 1 side

PTCS

and applicable standards.

Project name			Туре	Quantity
Date	N	lote		
PAFK.D148-S	576-H6	_		
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
[ <b>S76</b> ]	[H6]	[HM1]	LED Caps	Included
Ø3" [ <b>S60</b> ] Ø2 3/8"	19.7'	Black	[LC1]	Base plates
	[ <b>H7</b> ] 23.0'	<b>[HM2]</b> Dark gray	LED caps for pole to (Circular)	[ <b>F0603B</b> ] F0603B
	[ <b>H8</b> ] 26.2'	[HM3] Anthracite gray	[LC2] LED caps for pole to (Triangle)	To be ordered separately
		[HM4]	Spigot converter	Bolt covers
		Light gray [HM5]	[SC1] 3" to 2 3/8"	[C1F2C] C1F2C
		White		Anchor bolts
		[ <b>HM6</b> ] Bronze	-	<b>[90CJ005]</b> 90CJ005
		[CC] Custom color (Ple		Mounting arms
		specify RAL code		[PTCD] Mounting arm - 2 sides
				[PTCS] Mounting arm - 1 sid