Round tapered aluminum pole with base plate - Ø5 7/8"



PAFK.D148-S76-H8





Configuration

Ø6"
0.1"
Ø3"
26.2'
69.4 lbs
5.91'
15 3/4 x 3.5"
19 11/16"

Options

Base plates



F0702B

F0702B

Bolt covers



C1F2C

C1F2C


Anchor bolts



90CJ006

90CJ006

Mounting arms



Mounting arm - 1 side

PTCS

Mounting arms



Mounting arm - 2 sides

PTCD

and applicable standards.

Project name			Туре	Quantity
Date	Note			
PAFK.D148-S7	76-H8			
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
[S76]	[H8]	[HM1]	LED Caps	Included
[S60] Ø2 3/8"	26.2'	Black	[LC1]	Base plates
	[H6] 19.7'	[HM2] Dark gray	LED caps for pole top (Circular)	[F0702B] F0702B
	[H7] 23.0'	[HM3] Anthracite gray	[LC2] LED caps for pole top (Triangle)	To be ordered separately
		[HM4]	Spigot converter	Bolt covers
		Light gray [HM5]	[SC1] 3" to 2 3/8"	[C1F2C] C1F2C
		White	_	Anchor bolts
		[HM6] Bronze		[90CJ006] 90CJ006
		[CC] Sustain Color (Please		Mounting arms
		specify RAL code)		[PTCS] Mounting arm - 1 sid
				[PTCD] Mounting arm - 2 sides