Round tapered aluminum pole with base plate - Ø5 7/8"



PAFK.D148-S76-H8





Configuration

Diameter / Dimensions (D)	Ø6"
Thickness	0.1"
Spigot / End diameter (S)	Ø3"
Height (H)	26.2'
Weight	69.4 lbs
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"

Options

and applicable standards.

Base plates



F0702B

F0702B

Bolt covers



C1F2C

C1F2C


Anchor bolts



90CJ006

90CJ006

Mounting arms



Mounting arm - 1 side

PTCS

Mounting arms



Mounting arm - 2 sides

PTCD

and applicable standards.

Project nam	е				Туре		Quantity
Date			Note				
PAFK.D14	8-S76-H	18					
Spigot / End diameter (S)		Height (H)		Product colors	Extras		Accessories
[S76]		[H8]		[HM1]	LED Caps		Included
Ø3"	26.2' Black [LC1]		Base plates				
[S60] Ø2 3/8"		[H6] 19.7'		[HM2] Dark gray	(Circular)	or pole top	[F0702B] F0702B
		[H7] 23.0'		[HM3] Anthracite gray	[LC2] LED caps fo (Triangle)	or pole top	To be ordered separately
				[HM4]	Spigot converter		Bolt covers
				Light gray [HM5]	[SC1] 3" to 2 3/8	8"	[C1F2C] C1F2C
			White		Anchor bolts		
		[HM6] Bronze		[90CJ006] 90CJ006			
	[CC] Sustain Color (Please		Mounting arms				
			specify RAL code)				[PTCS] Mounting arm - 1 sid
							[PTCD] Mounting arm - 2 sides