Round tapered aluminum pole with base plate - Ø6 1/2"



PAFK.D165-S76-H8



Configuration

| Diameter / Dimensions (D) | Ø6 1/2" |
|---------------------------|---------------|
| Thickness | 0.1" |
| Spigot / End diameter (S) | Ø3" |
| Height (H) | 26.2' |
| Weight | 74.2 lbs |
| SL | 5.91' |
| AD | 15 3/4 x 3.5" |
| OP | 19 11/16" |

Options

Accessories (Included)

Accessories (To be ordered separately)

Anchor bolts

Base plates



F0703B







Mounting arms

C1G2C C1G2C

92//32 750 mm 2917/32 90CJ006

90CJ006

Mounting arm - 2 sides PTCD

Mounting arms



Mounting arm - 1 side PTCS

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (\pm %7 tolerance) and power values (\pm %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

| Project name | | | Туре | Quantity |
|------------------------------|--|---|--|---|
| Date | Note | | · · · | · · |
| PAFK.D165-S7 | /6-H8 | | | |
| Spigot / End diameter (S) | Height (H) | Product colors | Extras | Accessories |
| [S76] Ø3" | [H8] | [HM1] | LED Caps | Included |
| | 26.2' Black [LC1] | | Base plates | |
| [S90] Ø3 1/2" | [H6] 19.7' | [HM2] Dark gray | LED caps for pole top (Circular) | [F0703B] F0703B |
| | [H7] 23.0' [H9] 29.5' | [HM3] Anthracite gray [HM4] Light gray [HM5] White | [LC2] LED caps for pole top (Triangle) | To be ordered separately |
| | | | Spigot converter | Bolt covers |
| | | | [SC1] 3" to 2 3/8" | [C1G2C] C1G2C |
| | | | | Anchor bolts |
| | | [HM6] Bronze | | [90CJ006] 90CJ006 |
| | | [CC] Section Color (Please specify RAL code) | | Mounting arms |
| | | | | [PTCD] Mounting arm - 2 sides [PTCS] Mounting arm - 1 sid |