Round tapered aluminum pole with base plate - Ø6 1/2"



PAFK.D165-S76-H9



Configuration

Diameter / Dimensions (D)	Ø6 1/2"
Thickness	0.1"
Spigot / End diameter (S)	Ø3"
Height (H)	29.5'
Weight	84.4 lbs
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"

Options

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com

We reserve the right to change specifications without prior written notice. Edition: 12.05.2024. For current version visit heperlighting.com. All flux (\pm %7 tolerance) and power values (\pm %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (Included)

Accessories (To be ordered separately)

Anchor bolts


Base plates



F0801B







Mounting arms

C1G2D

90DJ007

90DJ007

Mounting arm - 2 sides PTCD





Mounting arm - 1 side PTCS

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 12.05.2024. For current version visit heperlighting.com. All flux (\pm %7 tolerance) and power values (\pm %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name			Туре	Quantity
Date	Note			· · ·
PAFK.D165-S7	′6-Н9			
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
[576] Ø3"	[H9]		LED Caps	Included
	29.5' Black [LC1]		Base plates	
[S90] Ø3 1/2"	[H6] 19.7'	[HM2] Dark gray	LED caps for pole top (Circular)	[F0801B] F0801B
	[H7] 23.0' [H8] 26.2'	[HM3] Anthracite gray[HM4] Light gray[HM5] White	[LC2] LED caps for pole top (Triangle)	To be ordered separately
			Spigot converter	Bolt covers
			[SC1] 3" to 2 3/8"	[C1G2D] C1G2D
				Anchor bolts
		[HM6] Bronze		[90DJ007] 90DJ007
		[CC] (Classon color (Please specify RAL code)		Mounting arms
				[PTCD] Mounting arm - 2 sides [PTCS] Mounting arm - 1 side