Round tapered aluminum pole with base plate - Ø6 1/2"



PAFK.D165-S90-H8



Configuration

Diameter / Dimensions (D)	Ø6 1/2"
Thickness	0.1"
Spigot / End diameter (S)	Ø3 1/2"
Height (H)	26.2'
Weight	76.5 lbs
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"

Options

Accessories (Included)

Accessories (To be ordered separately)

Anchor bolts

Base plates



F0703B







Mounting arms

C1G2C

92//32 750 mm 2917/32 90CJ006

90CJ006

Mounting arm - 2 sides PTCD

Mounting arms



Mounting arm - 1 side PTCS

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 07.05.2024. For current version visit heperlighting.com. All flux (\pm %7 tolerance) and power values (\pm %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name			Туре	Quantity
Date	Note		· · ·	
PAFK.D165-S90-H8				
Spigot / End diameter (S)	ght (H)	Product colors	Accessories	
[S90] [H8]		[HM1]	Included	
Ø3 1/2" 26.2		Black	Base plates	
[S76] [H6] Ø3" 19.7	7'	[HM2] Dark gray	[F0703B] F0703B	_
[H7] 23.0		[HM3] Anthracite gray	To be ordered separately	=
[H9] 29.5		[HM4]	Bolt covers	
		Light gray	[C1G2C]	-
		[HM5] White	C1G2C	_
			Anchor bolts	_
		[HM6] Bronze	[90CJ006] 90CJ006	
Cus		[CC] S	Mounting arms	
	specify RAL code)	[PTCD] Mounting arm - 2 sides		
			[PTCS] Mounting arm - 1 side	