Round tapered aluminum pole with base plate - Ø7 7/8"



PAFK.D200-S76-H12



(ŝ) → . (ŝ

Configuration

Diameter / Dimensions (D)	Ø7 7/8"
Thickness	0.2"
Spigot / End diameter (S)	Ø3"
Height (H)	39.4'
Weight	203.4 lbs
SL	15.7'
AD	15 3/4 x 3.5"
OP	19 11/16"

Options

Accessories (Included)

Accessories (To be ordered separately)

Anchor bolts

Base plates



F1003B







Mounting arms

C1J2D C1J2D

^{1300 mm} 111 3/16¹ 3.2¹⁰ 900DJ010

90DJ010

Mounting arm - 2 sides

ID

PTCD

Mounting arms



Mounting arm - 1 side PTCS

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 18.05.2024. For current version visit heperlighting.com. All flux (\pm %7 tolerance) and power values (\pm %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name			Туре	Quantity
Date	Note			· · ·
PAFK.D200-S7	′6-H12			
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
[S76] Ø3"	[H12] 39.4'	[HM1]	LED Caps	Included
		Black [LC1]		Base plates
[\$90] Ø3 1/2"	[H10] 32.8'	[HM2] Dark gray	LED caps for pole top (Circular)	[F1003B] F1003B
	[H11] 36.1'	[HM3] Anthracite gray	[LC2] LED caps for pole top (Triangle)	To be ordered separately
		[HM4] Light gray [HM5] White	Spigot converter	Bolt covers
			[SC1] 3" to 2 3/8"	[C1J2D] C1J2D
				Anchor bolts
	[HM6] Bronze		[90DJ010] 90DJ010	
		[CC] Solution (Content of the second of the		Mounting arms
				[PTCD] Mounting arm - 2 sides [PTCS] Mounting arm - 1 side