

# Round tapered aluminum pole (direct burial) - Ø4 1/2"



PABK.D1114-S60-H5



## Configuration

Diameter / Dimensions (D)	Ø4 1/2"
Thickness	0.1"
Spigot / End diameter (S)	Ø2 3/8"
Height (H)	16.4'
Weight	37 lb
SL	5.91'
AD	15 3/4 x 3 11 11/32"
OP	19 11/16"
PD	2.62'
CD	5.9x2.9"
CP	19 11/16"

## Options


Accessories (To be ordered separately)

Mounting arms










Mounting arm - 1 side  
PTCS

Mounting arms



Mounting arm - 2 sides  
PTCD

Project name				Type		Quantity	
Date		Note					
PABK.D114-S60-H5-__-__-__							
Spigot / End diameter (S)	Height (H)	Product colors		Extras	Accessories		
[S60] Ø2 3/8"	[H5] 16.4'	[HM1] Black		LED Caps	<i>To be ordered separately</i>		
[S76] Ø3"	[H3] 10'  [H4] 13.1'	[HM2] Dark gray		[LC1] LED caps for pole top (Circular)			
		[HM3] Anthracite gray		[LC2] LED caps for pole top (Triangle)			
		[HM4] Light gray		Spigot converter			
		[HM5] White		[SC3] 2 3/8" to 2"			
		[HM6] Bronze					
		[CC] Custom color (Please specify RAL code)			<b>Mounting arms</b>  <b>[PTCS]</b> Mounting arm - 1 side  <b>[PTCD]</b> Mounting arm - 2 sides		