
## Conical aluminum pole with CE 믿놈 embedded base - Ø114 mm diameter



PABK.D114-S76-H3





HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 06.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

## Accessories (To be ordered separately)

PTCD

Mounting arms	Mounting arms		
I P			
Mounting arm - 1 side	Mounting arm - 2 sides		

PTCS

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 06.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name			Туре	Quantity
Date	Note			
PABK.D114-S76-	H3			
Spigot diameter (S)	Height (H)	Product colours	Extras	Accessories
[\$76]	[H3]	[HM1] Black [HM2]	LED Caps	To be ordered separately
Ø76mm	3m		<b>[LC1]</b> LED caps for pole top (Circular)	
<b>[S60]</b> Ø60mm mm	[ <b>H4</b> ] 4m m			Mounting arms
[H5] 5m m	[HM3] Anthracite grey	[LC2] [EC2] Mounting arm - 1 sid	Mounting arm - 1 side [PTCD] Mounting arm - 2	
	[HM5]			
		[HM6] Bronze		
	[CC] (Class Custom colour (Please specify RAL code)			

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675 Hemer, Germany

infoEU@hepergroup.com

+49 237 2901 2975

We reserve the right to change specifications without prior written notice. Edition: 06.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3