
Round tapered aluminum pole (direct burial) - Ø4 3/4"



PABK.D122-S76-H4





Configuration

Diameter / Dimensions (D)	Ø5"
Thickness	0.1"
Spigot / End diameter (S)	Ø3"
Height (H)	13.1'
Weight	35.4 lb
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"
PD	2.62'
CD	5.9x2.9"
CP	19 11/16"


Options

Accessories (To be ordered separately)

Mounting arms

Mounting arms





Mounting arm - 1 side

Mounting arm - 2 sides

PTCS

PTCD

Project name				Туре	Quantity
Date	•	Note			
PABK.D122-	576-H4				
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
[S76]	[H4]		[HM1]	LED Caps	To be ordered
Ø3"	13.1' Black		Black	[LC1]	separately
[S60] Ø2 3/8"	[H5] 16.4'		[HM2] Dark gray	LED caps for pole top (Circular)	Mounting arms [PTCS]
	[H6] 19.7'		[HM3]	[LC2] LED caps for pole top	Mounting arm - 1 side
	[H7]	[H7]	Anthracite gray [HM4] Light gray	(Triangle)	[PTCD] Mounting arm - 2 sides
	23.0'			Spigot converter	
			[HM5] White	[SC1] 3" to 2 3/8"	
			[HM6] Bronze		
			[CC] Custom color (Pleas specify RAL code)	е	