
## Conical aluminum pole with CE 믿놈 embedded base - Ø122 mm diameter



PABK.D122-S76-H5





HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 07.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

1/3

## Accessories (To be ordered separately)

PTCS

Mounting arms	Mounting arms	
Mounting arm - 2 sides	Mounting arm - 1 side	

PTCD

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 07.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name			Туре	Quantity	
Date	Note		· · ·	· · ·	
PABK.D122-S76-H5					
Spigot diameter (S)	Height (H)	Product colours	Extras	Accessories	
[\$76]	[H5]	[HM1] Black [HM2]	LED Caps	To be ordered	
Ø76mm	5m		<b>[LC1]</b> LED caps for pole top (Circular) <b>[LC2]</b> LED caps for pole top (Triangle)	separately	
<b>[S60]</b> Ø60mm mm	[ <b>H4</b> ] 4m m			Mounting arms	
	[H6] [HM3]   6m m Anthracite grey	[HM3] Anthracite grey		[PTCD] Mounting arm - 2 sides [PTCS]	
7m m	[HM4] Light grey	Spigot converter	Mounting arm - 1 side		
		[HM5] White	<b>[SC1]</b> Ø76 mm to Ø60 mm		
		[HM6] Bronze			
		[CC] (Please specify RAL code)			

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975

infoEU@hepergroup.com

We reserve the right to change specifications without prior written notice. Edition: 07.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3