Round tapered aluminum pole (direct burial) - Ø4 3/4"



PABK.D122-S76-H7





Configuration

Diameter / Dimensions (D)	Ø5"
Thickness	0.1"
Spigot / End diameter (S)	Ø3"
Height (H)	23.0'
Weight	52.6 lb
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"
PD	3.94'
CD	5.9x2.9"
СР	19 11/16"

Options

Accessories (To be ordered separately)

Mounting arms

Mounting arms





Mounting arm - 2 Mounting arm - 1 sides side

PTCD

PTCS

Project name			Туре	Quantity
Date	No	ote		
PABK.D122-S	76-H7	_		
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
[S76]	[H7]	[HM1]	LED Caps	To be ordered
Ø3"	23.0'	Black	[LC1]	separately
[S60] Ø2 3/8"	[H4] 13.1'	[HM2]	(Circular) [LC2] Racite gray (Circular) [LC2] LED caps for pole top (Triangle)	Mounting arms
	[H5] 16.4' [H6]	[HM3] Anthracite gray		[PTCD] Mounting arm - 2 sides [PTCS]
	19.7'	[HM4] Light gray	Spigot converter	Mounting arm - 1 side
		[HM5] White	[SC1] 3" to 2 3/8"	
		[HM6] Bronze		
		[CC] Custom color (Pleaspecify RAL code)	ase	