



Round tapered aluminum pole (direct burial) - Ø4 3/4"



PABK.D122-S60-H5




Configuration

Diameter / Dimensions (D)	Ø5"
Thickness	0.1"
Spigot / End diameter (S)	Ø2 3/8"
Height (H)	16.4'
Weight	39.4 lb
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"
PD	2.62'
CD	5.9x2.9"
CP	19 11/16"

Options


Accessories (To be ordered separately)

Mounting arms



Mounting arm - 2
sides
PTCD

Mounting arms



Mounting arm - 1
side
PTCS

Project name				Type		Quantity	
Date			Note				
PABK.D122-S60-H5-__-__-__							
Spigot / End diameter (S)	Height (H)	Product colors		Extras	Accessories		
[S60] Ø2 3/8"	[H5] 16.4'	[HM1] Black		LED Caps	To be ordered separately		
[S76] Ø3"	[H4] 13.1'	[HM2] Dark gray		[LC1] LED caps for pole top (Circular)			
		[HM3] Anthracite gray		[LC2] LED caps for pole top (Triangle)			
		[HM4] Light gray		Spigot converter			
		[HM5] White		[SC3] 2 3/8" to 2"			
		[HM6] Bronze					
		[CC] Custom color (Please specify RAL code)					
	[H6] 19.7'				[PTCD] Mounting arm - 2 sides		
	[H7] 23.0'				[PTCS] Mounting arm - 1 side		