
Conical aluminum pole with CE 믿놈 embedded base - Ø122 mm diameter



PABK.D122-S60-H6





HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (To be ordered separately)

PTCD

Mounting arms	Mounting arms		
I P			
Mounting arm - 1 side	Mounting arm - 2 sides		

PTCS

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name			Туре	Quantity	
Date	Note		· · ·		
PABK.D122-S60-H6					
Spigot diameter (S)	Height (H)	Product colours	Extras	Accessories	
[\$60]	[H6]	[HM1] Black [HM2]	LED Caps	To be ordered	
Ø60mm	6m		[LC1] LED caps for pole top (Circular)	separately	
[S76] Ø76mm mm	[H4] 4m m			Mounting arms	
	411 m Dark grey [H5] [HM3] 5m m Anthracite grey [H7] 7m m	[HM3] Anthracite grey [HM4]	[LC2] LED caps for pole top (Triangle) Spigot converter	[PTCS] Mounting arm - 1 side [PTCD] Mounting arm - 2 sides	
	Light grey [HM5] White	[SC3] Ø60 mm to Ø50 mm			
		[HM6] Bronze			
		[CC] (Please specify RAL code)			

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975

infoEU@hepergroup.com

We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3