
## Conical aluminum pole with CE 믿놈 embedded base - Ø122 mm diameter



PABK.D122-S60-H7





HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 03.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

## Accessories (To be ordered separately)

PTCS

Mounting arms	Mounting arms	
Mounting arm - 2 sides	Mounting arm - 1 side	

PTCD

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 03.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name			Туре	Quantity	
Date	Note		•		
PABK.D122-S60-H7					
Spigot diameter (S)	Height (H)	Product colours	Extras	Accessories	
[S60]	[Н7]	[HM1] Black [HM2]	LED Caps	To be ordered separately	
Ø60mm	7m		<b>[LC1]</b> LED caps for pole top (Circular)		
<b>[S76]</b> Ø76mm mm	<b>[H4]</b> 4m m			Mounting arms	
	[H5] [HM3]   5m m Anthracite grey   [H6] [HM3]	[HM3] Anthracite grey	<b>[LC2]</b> LED caps for pole top (Triangle)	[PTCD]   Mounting arm - 2   caps for pole top	
6m m	[HM4] Light grey	Spigot converter	Mounting arm - 1 side		
	[HM5] White	<b>[SC3]</b> Ø60 mm to Ø50 mm			
		[HM6] Bronze			
		[CC] (Clastom colour (Please specify RAL code)			

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675 Hemer, Germany

infoEU@hepergroup.com

+49 237 2901 2975

We reserve the right to change specifications without prior written notice. Edition: 03.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3