

Conical aluminum pole with embedded base - Ø165 mm diameter

CE UK
CA




PABK.D165-S76-H6



Variant


Diameter / Dimensions (D)	Ø165mm
Thickness	3mm
Spigot diameter (S)	Ø76mm
Height (H)	6m
Weight	27.8 kg
SL	1.8m
AD	400*90mm
OP	500mm
PD	1m
CD	150*75mm
CP	500mm

Options



Accessories (To be ordered separately)


Mounting arms



Mounting arm - 1 side








PTCS

Mounting arms



Mounting arm - 2 sides

PTCD

Project name				Type		Quantity	
Date			Note				
PABK.D165-S76-H6-__-__-__							
Spigot diameter (S)	Height (H)	Product colours		Extras	Accessories		
[S76] Ø76mm	[H6] 6m	[HM1] Black		LED Caps	<i>To be ordered separately</i>		
[S90] Ø90mm mm	[H7] 7m m [H8] 8m m [H9] 9m m	[HM2] Dark grey		[LC1] LED caps for pole top (Circular)			
		[HM3] Anthracite grey		[LC2] LED caps for pole top (Triangle)			
		[HM4] Light grey		Spigot converter			
				[SC1] Ø76 mm to Ø60 mm			
				[HM5] White			
				[HM6] Bronze			
		[CC] Custom colour (Please specify RAL code)		[PTCS] Mounting arm - 1 side			
				[PTCD] Mounting arm - 2 sides			