

Round tapered aluminum pole (direct burial) - Ø6 1/2"



PABK.D165-S76-H6



Configuration

Diameter / Dimensions (D)	Ø6 1/2"
Thickness	0.1"
Spigot / End diameter (S)	Ø3"
Height (H)	19.7'
Weight	61.2 lb
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"
PD	3.3'
CD	5.9x2.9"
CP	19 11/16"

Options

Accessories (To be ordered separately)

Mounting arms









Mounting arm - 1 side
PTCS

Mounting arms



Mounting arm - 2 sides
PTCD

Project name				Type		Quantity	
Date		Note					
PABK.D165-S76-H6-__-__-__							
Spigot / End diameter (S)	Height (H)	Product colors		Extras	Accessories		
[S76] Ø3"	[H6] 19.7'	[HM1] Black		LED Caps	<i>To be ordered separately</i> Mounting arms [PTCS] Mounting arm - 1 side [PTCD] Mounting arm - 2 sides		
[S90] Ø3 1/2"	[H7] 23.0' [H8] 26.2' [H9] 29.5'	[HM2] Dark gray		[LC1] LED caps for pole top (Circular)			
		[HM3] Anthracite gray		[LC2] LED caps for pole top (Triangle)			
		[HM4] Light gray		Spigot converter			
		[HM5] White		[SC1] 3" to 2 3/8"			
		[HM6] Bronze					
		[CC] Custom color (Please specify RAL code)	