## Round tapered aluminum pole (direct burial) - Ø6 1/2"



PABK.D165-S76-H6





## Configuration


Ø6 1/2"
0.1"
Ø3"
19.7'
61.2 lb
5.91'
15 3/4 x 3.5"
19 11/16"
3.3'
5.9x2.9"
19 11/16"


## Options

## Accessories (To be ordered separately)

Mounting arms

Mounting arms





Mounting arm - 1 side

Mounting arm - 2 sides

PTCS

PTCD

Project name				Туре	Quantity	
Date		Note		,	,	
PABK.D165-S	76-H6	'				
Spigot / End diameter (S)	Height (H)		Product colors	Extras	Accessories	
[S76]	[H6]		[HM1]	LED Caps	To be ordered	
Ø3"	19.7'		Black	[LC1]	separately	
<b>[S90]</b> Ø3 1/2"	[ <b>H7</b> ] 23.0'		[HM2] Dark gray	LED caps for pole top (Circular)	Mounting arms	
		[H8] 26.2' [H9]		[HM3] Anthracite gray	[LC2] LED caps for pole top (Triangle)	[PTCS] Mounting arm - 1 side [PTCD]  Mounting arm - 2
	29.5'		[HM4] Light gray	Spigot converter	sides	
			[HM5] White	[SC1] 3" to 2 3/8"		
			[HM6] Bronze			
			[CC] Custom color (Pleas specify RAL code)	e e		