
## Conical aluminum pole with CE 믿놈 embedded base - Ø165 mm diameter



PABK.D165-S76-H7





HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 19.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

## Accessories (To be ordered separately)

PTCD

Mounting arms	Mounting arms		
I P			
Mounting arm - 1 side	Mounting arm - 2 sides		

PTCS

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 19.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name			Туре	Quantity
Date	Note		• •	•
PABK.D165-S76-	H7			
Spigot diameter (S)	Height (H)	Product colours	Extras	Accessories
[\$76]	[H7]	[HM1] Black [HM2]	LED Caps	To be ordered separately
Ø76mm	7m		<b>[LC1]</b> LED caps for pole top (Circular)	
<b>[S90]</b> Ø90mm mm	<b>[H6]</b> 6m m			Mounting arms
	[ <b>H8]</b> 8m m [ <b>H9]</b> 9m m	Dark grey [HM3] Anthracite grey [HM4] Light grey [HM5] White	(LC2) LED caps for pole top (Triangle) Spigot converter [SC1] Ø76 mm to Ø60 mm	[PTCS] Mounting arm - 1 side [PTCD] Mounting arm - 2 sides
		[HM6] Bronze [CC] Custom colour (Please specify RAL code)		

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com 
 HEPER Europe GmbH

 Ahornweg 5a, 58675

 Hemer, Germany

 +49 237 2901 2975

infoEU@hepergroup.com

We reserve the right to change specifications without prior written notice. Edition: 19.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3