

# Round tapered aluminum pole (direct burial) - Ø6 1/2"



PABK.D165-S76-H8



## Configuration

Diameter / Dimensions (D)	Ø6 1/2"
Thickness	0.1"
Spigot / End diameter (S)	Ø3"
Height (H)	26.2'
Weight	55.7 lb
SL	5.91'
AD	15 3/4 x 3.5"
OP	19 11/16"
PD	3.94'
CD	5.9x2.9"
CP	19 11/16"

## Options

Accessories (To be ordered separately)

Mounting arms









Mounting arm - 1 side  
PTCS

Mounting arms



Mounting arm - 2 sides  
PTCD

Project name				Type		Quantity	
Date		Note					
PABK.D165-S76-H8-__-__-__							
Spigot / End diameter (S)	Height (H)	Product colors		Extras	Accessories		
[S76] Ø3"	[H8] 26.2'	[HM1] Black		LED Caps	<i>To be ordered separately</i>  <b>Mounting arms</b>  <b>[PTCS]</b> Mounting arm - 1 side  <b>[PTCD]</b> Mounting arm - 2 sides		
[S90] Ø3 1/2"	[H6] 19.7'  [H7] 23.0'  [H9] 29.5'	[HM2] Dark gray		[LC1] LED caps for pole top (Circular)			
		[HM3] Anthracite gray		[LC2] LED caps for pole top (Triangle)			
		[HM4] Light gray		Spigot converter			
		[HM5] White		[SC1] 3" to 2 3/8"			
		[HM6] Bronze					
		[CC] Custom color (Please specify RAL code)	